



PATENT APPLICATION Docket Number: CDS0223

## N THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventors: Merrit N. Jacobs, et al.

Serial Number: 09/658,356

37.000,000

Filed: September 11, 2000

Title: Analysis Method With Sample

Quality Measurement

Group Art Unit:

1743

Examiner:

Jeffrey R. Snay

CERTIFICATE OF CORRECTION

## CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Alexandria, VA 22313-1450: \_\_\_\_\_\_\_\_.

By: Attorney for Applicants

Commissioner for Patents

PO Box 1450

Alexandria, Virginia 22313-1450

Dear Sir:

Certificate NOV 2 4 2004

of Correction

Re: U.S. Patent No.

6,797,518 B1

Dear Sir:

It is respectfully requested that a Certificate of Correction be issued to correct the error(s) as set forth in the attached form and in compliance with amended Rule 322.

November 15, 2004

MichaelW. Montgomery

Attorney for Assignee

Reg. No.35,958

Attachment One Johnson & Johnson Plaza New Brunswick, NJ 08933-7003 (786) 313-2956 3. . L

PTO/SB/ 44 (10-96)
Approved for use through 6/30/99. OMB 0651-0033
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. (Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. :

6,797,518 B1

DATED

September 26, 2004

INVENTOR(S):

Merrit N. Jacobs et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 10 Line 44

(f) crating a partial pressure with the metering pump,

Should read:

(f) creating a partial pressure with the metering pump,

MAILING ADDRESS OF SENDER: Philip S. Johnson, Esq. Johnson & Johnson One Johnson & Johnson Plaza New Brunswick, NJ 08933-7003

PATENT NO.6,797,518 B1

No. of additional copies

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.